



DOKMEE

Capture

HARDWARE SYSTEM SPECIFICATIONS

VERSION 6

WORKSTATION SPECIFICATIONS

CPU Requirements:	Minimum: Dual Core Processor Recommended: Quad Core Processor
Memory Requirements:	Minimum: 4 GB of RAM Recommended: 8 GB of RAM
Hard Drive Space Requirements:	Minimum: 800 MB for the program alone
Operating System:	Minimum: Windows Vista Recommended: Windows 7, Windows 8, Windows 10 Required Components: .NET Framework 4.5
Network Configuration:	Minimum: 10/100 Mbit/s Recommended: 1 Gbit/s

CENTRAL PATH DISK STORAGE

Space:	<i>*This depends on the number of batches being held in Dokmee Capture at one time.</i> Recommended: 50 GB and above Same machine as SQL or different machine
--------	---

SCANNER SPECIFICATIONS

	TWAIN and ISIS Driver for desktop scanner(s) installed on workstation
	TWAIN and ISIS Driver for production scanner(s) installed on workstation



DOKMEE

Capture

SCANNER COMPATIBILITY

VERSION 6

CERTIFIED SCANNERS			
BELL AND HOWELL	SPECTRUM XF 8140 NGENUITY		
CANON	9080C DR-5080C DR-C125 DR-G1130 DR-M160	DR-2050C / 2080C DR-7550C / DR-9050C DR-C225W P-208 P-215	
EPSON	DS-30 GT-S50 GT-S55 GT-S80	GT-S85 DS-6500 DS-7500 DS-560	DS-40 DS-510
FUJITSU	Fi-5015C fi-5120C fi-5530C2 fi-5650C fi-5750C fi-5950 fi-6110 fi-6130 fi-6140	fi-6230 fi-6240 fi-6670 fi-6770 fi-6800 fi-7160 fi-7180 N1800 SP25	
HP	N6010		
IRIS	IRISSCAN PRO		
KODAK	i1310 / i1320 i2600 i2800	i4200 i4600	
PANASONIC	KV-54065C KV-S1015C		
XEROX	DM 3115 DM 4760 DM 4790	DM 4799 DM4830 DM 5445 / 5460	
PLUSTEK	SMARTOFFICE PS458U		



DOKMEE

Capture

SCANNER COMPATIBILITY

VERSION 6

CERTIFIED SCANNERS

BROTHER

ADS-2400N	MFC-L6800DW
ADS-2800W	MFC-L5700DN
ADS-3000N	MFC-L5700DW
ADS-3600W	MFC-L5750DW
DCP-L5500DN	MFC-L5800DW
DCP-L5600DN	MFC-L5850DW
DCP-L5650DW	MFC-L5900DW
DCP-L6600DW	MFC-L6700DW
	MFC-L6750DW
	MFC-L6800DW
	MFC-L6900DW

INCOMPATIBLE SCANNERS

RICOH

2027